



Shandong Chik Bearing Co., Ltd.

KOYO K47X52X17H needle roller bearings



Bearing No. K47X52X17H

K47X52X17H Bearing 2D drawings and 3D CAD models

Bore Diameter	47 mm
Outer Diameter	52 mm
Fw	47 mm
Ew	52 mm
Bc	17 mm
Weight	0.032 Kg
Basic dynamic load rating (C)	24.2 kN
Basic static load rating (C0)	50.4 kN
(Grease) Lubrication Speed	5800 r/min
(Oil) Lubrication Speed	8900 r/min
Category	Needle Non Thrust Roller Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.034
EAN	0060579020898
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly Only
Enclosure	Not Applicable
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	No
Closed End	Not Applicable



Shandong Chik Bearing Co., Ltd.

Inch - Metric	Metric
Thrust Bearing	No
Long Description	47MM Bore; 52MM Outside Diameter; 17MM Width; Needle Roller Bearing; Roller Assembly Only; No Self Aligning; Retainer; Single Row of Rollers; No Separable
Other Features	Radial Roller Hardened Steel Cage
Category	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	http://www.koyousa.com
Manufacturer Item Number	K47X52X17H
Weight / LBS	0.071
Width	0.669 Inch 17 Millimeter
Outside Diameter	2.047 Inch 52 Millimeter
Bore	1.85 Inch 47 Millimeter
Bearing No.	K47X52X17H
Cr	24.2
C0r	50.4
Cu	7.85
Grease lub.	5800
Oil lub.	8900
P/S	S
(Refer.) Mass(kg)	0.032
Shaft(max.)	47.000
Shaft(min.)	46.989
Housing(max.)	52.029
Housing(min.)	52.010



Shandong Chik Bearing Co., Ltd.